B is

(a) 
$$\begin{array}{c} R_4 \\ (CH_2)_p \\ (CH_2)_j \end{array},$$

(b) 
$$-N$$
  $Z$  , or  $(CH_2)_n$ 

W is  $NHC(=X)R_1$ , or -Y-het; provided that when A is a structure iv, W is not -Y-het;

X is O, or S; provided that when X is O, B is not the subsection (b).

Y is NH, O, or S;

Z is  $S(=O)(=N-R_5)$ ;

R<sub>1</sub> is

- (a) H,
- (b)  $NH_2$ ,
- (c) NHC<sub>1.4</sub>alkyl,
- (d)  $C_{1-4}$ alkyl,
- (e) C<sub>2-4</sub>alkenyl,
- (f)  $OC_{1-4}alkyl$ ,
- (g) SC<sub>1-4</sub>alkyl, or
- (h)  $(CH_2)_p C_{3-6}$ cycloalkyl;

at each occurrence, alkyl or cycloalkyl in R<sub>1</sub> is optionally substituted with one or more F, Cl or CN;

R<sub>2</sub> and R<sub>3</sub> are independently H, F, Cl, methyl or ethyl;

R<sub>4</sub> is H, CH<sub>3</sub>, or F;

R<sub>5</sub> is

- (c)  $C(=O)C_{1.4}alkyl$ ,
- (d)  $C(=O)OC_{1-4}alkyl$ ,
- (e)  $C(=O)NHR_6$ , or

## (f) $C(=S)NHR_6$ ;

 $R_6$  is H,  $C_{1-4}$ alkyl, or phenyl;

at each occurrence, alkyl in  $R_5$  and  $R_6$  is optionally substituted with one or more halo, CN, NO<sub>2</sub>, phenyl,  $C_{3-6}$  cycloalkyl,  $OR_7$ ,  $C(=O)R^7$ ,  $OC(=O)R_7$ ,  $C(=O)OR_7$ ,  $S(=O)_mR_7$ ,  $S(=O)_mR_7R_7$ ,  $NR_7SO_2R_7$ ,  $NR_7SO_2NR_7R_7$ ,  $NR_7C(=O)R_7$ ,  $C(=O)NR_7R_7$ ,  $NR_7R_7$ , oxo, or oxime;

R<sub>7</sub> is H, C<sub>1-4</sub>alkyl, or phenyl;

at each occurrence, phenyl is optionally substituted with one or more halo, CN, NO<sub>2</sub>, phenyl, C<sub>3-6</sub> cycloalkyl, OR<sub>7</sub>, C(=O)R<sup>7</sup>, OC(=O)R<sub>7</sub>, C(=O)OR<sub>7</sub>, S(=O)<sub>m</sub>R<sub>7</sub>, S(=O)<sub>m</sub>NR<sub>7</sub>R<sub>7</sub>, NR<sub>7</sub>SO<sub>2</sub>R<sub>7</sub>, NR<sub>7</sub>SO<sub>2</sub>NR<sub>7</sub>R<sub>7</sub>, NR<sub>7</sub>C(=O)R<sub>7</sub>, C(=O)NR<sub>7</sub>R<sub>7</sub>, or NR<sub>7</sub>R<sub>7</sub>;

het is a C-linked five- (5) membered heteroaryl ring having 1-4 heteroatoms selected from the group consisting of oxygen, sulfur, and nitrogen, or het is a C-linked six (6) membered heteroaryl ring having 1-3 nitrogen atoms;

p is 0, 1, or 2;

j is 1, 2, 3, 4, or 5; provided that k and j taken together are 2, 3, 4 or 5; m is 0, 1, or 2; and n is 2 or 3.

- 8. A compound of any one of claims 2-7 wherein X is sulfur atom.
- 9. A compound of any one of claims 2-7 wherein X oxygen atom.

Cancel claim 15 without prejudice.

Amend claim 17 as follows.

17. A compound of claim 9 wherein structure B is

$$(CH_2)_p$$
 $z$ 

wherein Z is  $S(=O)(=NR_5)$ .

Cancel Claims 18-21 without prejudice.

Amend claim 22, 24, and 25 as follows.

- 22. A compound of claim 14 wherein  $R_5$  is  $C(=O)C_{1-4}$ alkyl,  $C(=O)OC_{1-4}$ alkyl,  $C(=O)NH_2$ , or  $C(=O)NHC_{1-4}$ alkyl.
- 24. A compound of claim 14 wherein  $R_5$  is  $C(=0)CH_3$ .
- 25. A compound of claim 14 wherein  $R_5$  is  $C(=0)OCH_3$ .

Cancel claims 26-29, and 37 without prejudice.

Please add new claims 38-66.

- 38. A compound of claim 16 wherein  $R_5$  is  $C(=O)C_{1-4}$ alkyl,  $C(=O)OC_{1-4}$ alkyl,  $C(=O)NH_2$ , or  $C(=O)NHC_{1-4}$ alkyl.
- 39. A compound of claim 38 wherein R<sub>5</sub> is C(=O)NHCH<sub>3</sub>, or C(=O)NHCH<sub>2</sub>CH<sub>3</sub>.
- 40. A compound of claim 16 wherein  $R_5$  is  $C(=O)CH_3$ .
- 41. A compound of claim 16 wherein R<sub>5</sub> is C(=O)OCH<sub>3</sub>.
- 42. A compound of claim 17 wherein  $R_5$  is  $C(=O)C_{1.4}$ alkyl,  $C(=O)OC_{1.4}$ alkyl,  $C(=O)NH_2$ , or  $C(=O)NHC_{1.4}$ alkyl.
- 43. A compound of claim 42 wherein R<sub>5</sub> is C(=O)NHCH<sub>3</sub>, or C(=O)NHCH<sub>2</sub>CH<sub>3</sub>.
- 44. A compound of claim 17 wherein  $R_5$  is  $C(=O)CH_3$ .
- 45. A compound of claim 17 wherein  $R_5$  is  $C(=0)OCH_3$ .
- 46. A compound of claim 2 which is

N- $({(5S)-3-[3-fluoro-4-[1-(acetylimino)-1-oxidohexahydro-1<math>\lambda^4$ -thiopyran-4-yl]phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)acetamide, *Z*-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-[1-(acetylimino)-1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl]phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, Z-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-(1- $\{[(methylamino)carbonyl]imino\}$ -1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl)phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, Z-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-(1-[(methoxycarbonyl)imino]-1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl)phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, Z-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-(1-[[(ethoxycarbonyl)methyl]imino]-1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl)phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, Z-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-(1- $\{[(4-nitrophenyl)amino\}$ -1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl)phenyl]-2-oxo-1,3-oxazolidin-5-yl $\}$  methyl)propanethioamide, Z-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-[1-[(aminocarbonyl)imino]-1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl]phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, Z-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-[1-[[(aminocarbonyl)methyl]imino]-1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl]phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, Z-isomer;

N-[((5S)-3-{3-fluoro-4-(1-[(methoxycarbonyl)imino]-1-oxido- $1\lambda^4$ , 4-thiazinan-4-yl)phenyl}-2-oxo-1,3-oxazolidin-5-yl)methyl]propanethioamide;

N-[((5S)-3-{3-fluoro-4-(1-[(methoxycarbonyl)imino]-1-oxido- $1\lambda^4$ , 4-thiazinan-4-yl)phenyl}-2-oxo-1,3-oxazolidin-5-yl)methyl]cyclopropanecarbothioamide;

N-[((5S)-3-{3-fluoro-4-[1-[(methoxycarbonyl)imino]-1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl]phenyl}-2-oxo-1,3-oxazolidin-5- yl)methyl] cyclopropanecarbothioamide, Z-isomer;

 $N-[((5S)-3-\{3-fluoro-4-[1-[[(phenylmethoxy)carbnonyl]imino]-1-oxidohexahydro-1\lambda^4-thiopyran-4-yl]phenyl\}-2-oxo-1,3-oxazolidin-5-yl)methyl]acetamide, Z-isomer; or$ 

 $N-(\{(5S)-3-[3-Fluoro-4-(1-\{[(benzylamino)carbonyl]imino\}-1-oxidohexahydro-1\lambda^4-thiopyran-4-yl)phenyl]-2-oxo-1,3-oxazolidin-5-yl\}methyl)acetamide, Z-isomer.$ 

## 47. A compound of formula II

$$\begin{array}{c}
R_2 \\
R_3
\end{array}$$

$$-A-CH_2-W$$

П

or a pharmaceutically acceptable salt thereof wherein:

## A is a structure ii

B is

W is NHC(=X)R<sub>1</sub>, or -Y-het; provided that when A is a structure iv, W is not -Y-het;

X is O, or S; provided that when X is O, B is not the subsection (b).

Y is NH, O, or S;

Z is S(=O)(=N-R<sub>5</sub>) and the B ring has the following stereochemistry

R<sub>1</sub> is

- (a) H,
- (b)  $NH_2$ ,
- (c) NHC<sub>1-4</sub>alkyl,
- (d)  $C_{1-4}$ alkyl,
- (e) C<sub>2-4</sub>alkenyl,
- (f)  $OC_{1-4}alkyl$ ,
- (g) SC<sub>1.4</sub>alkyl, or
- (h)  $(CH_2)_p C_{3-6}$ cycloalkyl;

at each occurrence, alkyl or cycloalkyl in R<sub>1</sub> is optionally substituted with one or more F, Cl or CN;

R<sub>2</sub> and R<sub>3</sub> are independently H, F, Cl, methyl or ethyl;

R<sub>4</sub> is H, CH<sub>3</sub>, or F;

R<sub>5</sub> is

- (a) H,
- (b) C<sub>1-4</sub>alkyl,
- (c)  $C(=O)C_{1-4}alkyl$ ,
- (d)  $C(=O)OC_{1-4}alkyl$ ,
- (e)  $C(=O)NHR_6$ , or
- (f)  $C(=S)NHR_6$ ;

R<sub>6</sub> is H, C<sub>1-4</sub>alkyl, or phenyl;

at each occurrence, alkyl in  $R_5$  and  $R_6$  is optionally substituted with one or more halo, CN, NO<sub>2</sub>, phenyl,  $C_{3-6}$  cycloalkyl,  $OR_7$ ,  $C(=O)R^7$ ,  $OC(=O)R_7$ ,  $C(=O)OR_7$ ,  $S(=O)_mR_7$ ,  $S(=O)_mNR_7R_7$ ,  $NR_7SO_2R_7$ ,

 $NR_7SO_2NR_7R_7$ ,  $NR_7C(=O)R_7$ ,  $C(=O)NR_7R_7$ ,  $NR_7R_7$ , oxo, or oxime;

R<sub>7</sub> is H, C<sub>1-4</sub>alkyl, or phenyl;

at each occurrence, phenyl is optionally substituted with one or more halo, CN, NO<sub>2</sub>, phenyl, C<sub>3-6</sub> cycloalkyl, OR<sub>7</sub>, C(=O)R<sup>7</sup>, OC(=O)R<sub>7</sub>, C(=O)OR<sub>7</sub>, S(=O)<sub>m</sub>R<sub>7</sub>, S(=O)<sub>m</sub>NR<sub>7</sub>R<sub>7</sub>, NR<sub>7</sub>SO<sub>2</sub>R<sub>7</sub>, NR<sub>7</sub>SO<sub>2</sub>NR<sub>7</sub>R<sub>7</sub>, NR<sub>7</sub>C(=O)R<sub>7</sub>, C(=O)NR<sub>7</sub>R<sub>7</sub>, or NR<sub>7</sub>R<sub>7</sub>;

het is a C-linked five- (5) membered heteroaryl ring having 1-4 heteroatoms selected from the group consisting of oxygen, sulfur, and nitrogen, or het is a C-linked six (6) membered heteroaryl ring having 1-3 nitrogen atoms;

p is 0, 1, or 2;

j is 1, 2, 3, 4, or 5; provided that k and j taken together are 2, 3, 4 or 5; m is 0, 1, or 2; and

n is 2 or 3.

- 48. The compound of claim 47 wherein  $R_1$  is  $C_{1-4}$ alkyl.
- 49. The compound of claim 47 wherein  $R_1$  is ethyl.
- 50. The compound of claim 47 wherein  $R_1$  is methyl.
- 51. The compound of claim 47 wherein  $R_1$  is  $C_{3-6}$  cycloalkyl.
- 52. The compound of claim 47 wherein  $R_1$  is cyclopropyl

- 53. The compound of claim 47 wherein X is sulfur atom.
- 54. The compound of claim 47 wherein X oxygen atom.
- 55. The compound of claim 53 wherein one of  $R_2$  and  $R_3$  is H, the other one is F.
- 56. The compound of claim 54 wherein one of  $R_2$  and  $R_3$  is H, the other one is F.
- 57. The compound of claim 47 wherein  $R_5$  is H.
- 58. The compound of claim 47 wherein  $R_5$  is  $C_{1-4}$ alkyl, optionally substituted with OH; or  $C_{1-4}$ alkyl substituted with  $C(=O)NHC_{1-4}$ alkyl,  $C(=O)NH_2$  or phenyl; wherein the phenyl is optionally substituted with OH, methyl,  $NO_2$ ,  $CF_3$ , or CN.
- 59. The compound of claim 47 wherein  $R_5$  is  $CH_3$ , or ethyl.
- 60. The compound of claim 47 wherein  $R_5$  is  $C_{1-4}$ alkyl substituted with phenyl wherein the phenyl is optionally substituted with  $NO_2$ .
- 61. The compound of claim 47 wherein  $R_5$  is  $C(=O)C_{1-4}$ alkyl,  $C(=O)OC_{1-4}$ alkyl,  $C(=O)NH_2$ , or  $C(=O)NHC_{1-4}$ alkyl.
- 62. The compound of claim 47 wherein  $R_5$  is  $C(=O)NHCH_3$ , or  $C(=O)NHCH_2CH_3$ .
- 63. The compound of claim 47 wherein  $R_5$  is  $C(=0)CH_3$ .
- 64. The compound of claim 47 wherein  $R_5$  is  $C(=0)OCH_3$ .
- A compound of claim 47 which is
   N-({(5S)-3-[3-fluoro-4-(1-imino-1-oxidohexahydro-1λ<sup>4</sup>-thiopyran-4-yl)phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)acetamide (Z)-isomer;

```
N-(\{(5S)-3-[3-fluoro-4-(1-imino-1-oxidohexahydro-1\lambda^4-thiopyran-4-yl)phenyl]-2-oxo-1,3-oxazolidin-5-yl\} methyl)ethanethioamide (Z)-isomer;
```

N- $({(5S)-3-[3-fluoro-4-(1-imino-1-oxidohexahydro-1<math>\lambda^4$ -thiopyran-4-yl)phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide (Z)-isomer;

 $N-(\{(5S)-3-[3-fluoro-4-(1-imino-1-oxidohexahydro-1\lambda^4-thiopyran-4-yl)phenyl\}-2-oxo-1,3-oxazolidin-5-yl\}$ methyl)cyclopropanethioamide (Z)-isomer;

N- $({(5S)-3-[3-fluoro-4-[1-(acetylimino)-1-oxidohexahydro-1<math>\lambda^4$ -thiopyran-4-yl]phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)acetamide, *Z*-isomer;

N- $({(5S)-3-[3-fluoro-4-[1-(methylimino)-1-oxidohexahydro-1<math>\lambda^4$ -thiopyran-4-yl]phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, *Z*-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-[1-(acetylimino)-1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl]phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, *Z*-isomer;

N- $({(5S)-3-[3-fluoro-4-[1-(ethylimino)-1-oxidohexahydro-1<math>\lambda^4$ -thiopyran-4-yl]phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, Z-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-[1-[(phenylmethyl)imino]-1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl]phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, *Z*-isomer;

N- $({(5S)-3-[3-fluoro-4-[1-[(3-phenylpropyl)imino]-1-oxidohexahydro-1<math>\lambda^4$ -thiopyran-4-yl]phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, *Z*-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-(1- $\{[(methylamino)carbonyl]imino\}$ -1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl)phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, *Z*-isomer;

N- $({(5S)-3-[3-fluoro-4-(1-[(methoxycarbonyl)imino]-1-oxidohexahydro-1<math>\lambda^4$ -thiopyran-4-yl)phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, *Z*-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-(1-[[(ethoxycarbonyl)methyl]imino]-1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl)phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, *Z*-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-(1- $\{[(4\text{-nitrophenyl})\text{amino}]\text{carbonyl}\}\text{imino}\}$ -1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl)phenyl]-2-oxo-1,3-oxazolidin-5-yl $\{$ methyl $\}$ propanethioamide, Z-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-[1-[(aminocarbonyl)imino]-1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-

yl]phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, Z-isomer;

N- $({(5S)-3-[3-fluoro-4-[1-[[(aminocarbonyl)methyl]imino]-1-oxidohexahydro-1<math>\lambda^4$ -thiopyran-4-yl]phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, Z-isomer;

N-( $\{(5S)$ -3-[3-fluoro-4-[1-[(2-hydroxyethyl)imino]-1-oxidohexahydro- $1\lambda^4$ -thiopyran-4-yl]phenyl]-2-oxo-1,3-oxazolidin-5-yl}methyl)propanethioamide, Z-isomer;